Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Index to recent Literature relating to American Botany

Andrews, A. L. The Orchidaceae of a Series of Swamps in southern Vermont. Rhodora, **2**: 114, 115. 21 Je. 1900.

Arnoldi, W. Ueber die Ursachen der Knospenlage der Blatter. Flora, **87**: 440–478. *f. 1–45.* 5 O. 1900.

Arthur, J. C. New Station for the dwarf Mistletoe. Rhodora, **2**: 221–223. N. 1900.

Report of the discovery of this species on Isle au Haut, Maine.

Bailey, W. W. *Solidago tenuifolia* as a Weed in Rhode Island. Rhodora, **2**: 226. N. 1900.

Bailey, W. W. The old-time Flora of Providence. Rhodora, **2**: 213–220. N. 1900.

Baranetzky, M. J. Recherches sur les faisceaux bicollatéraux. Ann. Sc. Nat. Bot. VIII. **12**: 261–332. *pl. 7–10.* 1900.

Beadle, C. D. Studies in *Crataegus.*—II. Bot. Gaz. **30**: 335–346. 15 N. 1900.

C. aprica, C. sororia, C. Alleghaniensis, C. venusta, C. Ashei, C. senta, C. Alabamensis, C. pinetorum, C. rubella, and *C. straminea* new.

Berry, E. W. Abnormal Forms of Dogwood. Plant World, **3**: 56, 57. *f. 1–3.* Ap. 1900.

Billings, F. H. Ueber stärke corrodirende Pilze und ihre Beziehung zu Amylotrogus Roze. Flora, **87**: 288–298. *pl. 11, 12.* 30 J. 1900.

Bissell, C. H. A new Variety of *Zizia aurea.* Rhodora, **2**: 225. N. 1900.

Zizia aurea obtusifolia.

Bissell, C. H. Abnormal Flowers in *Leonurus Cardiaca.* Rhodora, **2**: 223, 224. N. 1900. [Illust.]

Brandegee, T. S. A new *Tapirira* from Baja California. Zoe, **5**: 78, 79. N. 1900.

Tapirira edulis sp. nov.

Brenner, W. Untersuchungen an einigen Fettpflanzen. Flora, **87**: 387–439. *f. 1–15.* 5 O. 1900.

An experimental investigation of a number of succulents included in *Sedum, Crassula, Sempervivum,* and *Mesembryanthemum.*

Britton, E. G. Note on *Trichostomum Warnstorfii* Limpr. Rev. Bryol. **27**: 71. 1900.

Britton, N. L. Dr. Torrey as a Botanist. Bull. Torr. Club, **27**: 540–551. 26 O. 1900.

Burgess, E. S. The Work of the Torrey Botanical Club. Bull. Torr. Club, **27**: 552–558. 26 O. 1900.

Burns, G. P. Beiträge zur Kenntniss der Stylidaceen. Flora, **87**: 313–354. *pl. 13–14. f. 1–45.* 5 O. 1900.

A morphological and physiological study of the Lobeliaceae, Campanulaceae, Goodeniaceae, Stylidaceae, and Cucurbitaceae.

Byxbee, E. S. The Development of the karyokinetic Spindle in the Pollen-Mother-Cells of *Lavatera*. Proc. Calif. Acad. Sci. (Botany) III. **2**: 63–82. *pl. 10–13.* 31 O. 1900.

Cannon, W. A. The Gall of the Monterey Pine. Am. Nat. **34**: 801–810. *f. 1–6.* O. 1900.

Celakovsky, L. J. Neue Beiträge zum Verständniss der Fruchtschuppe der Conifereen. Jahrb. wiss. Bot. **35**: 407–448. *pl. 10, 11.* 1900.

Chauvead, M. G. Recherches sur le mode de formation des tubes criblés dans la racine des Dicotylédones. Ann. Sc. Nat. Bot. VIII. **12**: 323–394. *pl. 11–14.* 1900.

Chesnut, V. K. A fatal Case of *Amanita* Poisoning. Plant World, **3**: 8. Ja. 1900.

Chesnut, V. K. Poisonous Properties of the green-spored *Lepiota*. Asa Gray Bull. **8**: 87–93. *pl. 5.* O. 1900.

Clute, W. N. The Making of an Herbarium. Fifth Paper. Arranging for Use. Plant World, **3**: 54–56. Ap. 1900.

Cockerell, T. D. A. *Gaurella* = *Gauropsis*. Bot. Gaz. **30**: 351. 15 N. 1900.

Coe, M. A. Autumnal Flowering of *Vaccinium Pennsylvanicum*. Rhodora, **2**: 224, 225. N. 1900.

Collins, F. S. Seaweeds in Winter. Rhodora, **2**: 130–132. 21 Je. 1900.

Conn, H. W. Classification of Dairy Bacteria. Rep. Storrs (Conn.) Agr. Exp. Sta. **12**: 13–68. 1900.

Corbett, L. C. An improved Auxanometer and some of its Uses. Rep. W. Va. Agric. Exp. Sta. **12**:—(1–8). *f. 3–6.* 1900.

Corbett, L. C. Fruit Diseases and how to treat them! Bull. W. Va. Agric. Exp. Sta. 66: 199–235. *f. 1–23.* F. 1900.

Coulter, J. M. Geographical Distribution of Conifers. Plant World, **3**: 20, 21. F. 1900.

Cowell, J. F. David Fisher Day. Bot. Gaz. **30**: 347, 348. *portrait.* 15 N. 1900.

Crandall, C. A. The tall green Orchis (*Habenaria hyperborea*) visited by Mosquitoes. Plant World, **3**: 6, 7. Ja. 1900.

Crawford, J. Notes on *Ophioglossum*. Plant World, **3**: 154, 155. O. 1900.

Crépin, F. Note upon a probable Hybrid of *Rosa Carolina* L. and *Rosa nitida* Willd. Rhodora, **2**: 112, 113. 21 Je. 1900.

Creevey, C. A. Plant Juices and their commercial Values. Plant World, **2**: 161–165. Jl. 1899; 187–189. Au. 1899; 200–204. S. 1899; **3**: 9–12. Ja. 1900; 26–28. F. 1900; 42–44. Mr. 1900; 58–59. Ap. 1900.

Curtiss, A. H. The Water Hyacinth in Florida. Plant World, **3**: 38–40. Mr. 1900.

Curtiss, A. H. Some nameless Plants. Plant World, **3**: 105–107. Jl. 1900.

Czapek, F. Ueber den Nachweis der geotropischen Sensibilität der Wurzelspitze. Jahrb. wiss. Bot. **35**: 313–365. *pl. 8.* 1900.

Davis, K. C. A taxonomic Study of North American Ranunculaceae, 1–8, 13–18, 21–28. 19 My. 1900.

Includes descriptions of our species of *Crossosoma*, *Hydrastis*, *Caltha* (2 species new), *Trollius*, *Cammarum*, *Nigella*, *Isopyrum*, *Coptis Xanthorrhiza*, *Anemonopsis*, *Cimicifuga*, *Actaea*, *Hepatica*, *Syndesmon*, *Myosurus*, *Trautvetteria*, and *Adonis*, including several new varieties.

Davis, K. C. A synonymic Conspectus of the native and garden Thalictrums of North America. Minn. Bot. Stud. **2**: 509–523. 15 Au. 1900.

Davis, K. C. Wild and garden Paeonies in America. Plant World, **3**: 22–25. F. 1900.

One species American.

Davis, K. C. Native and Garden Delphiniums of North America. Minn. Bot. Stud. **2**: 431–457. 15 Au. 1900.

Delphinium Treleasei Bush, new species. *D. bicolor Nelsoni*, *D. bicolor cognatum*, *D. bicolor glareosum*, *D. decorum gracilentum*, *D. hesperium recurvatum*, *D. variegatum Blochmanae*, *D. variegatum Emiliae*, *D. Geyeri Wootoni*, *D. Geyeri geranifolium*, *D. camporum Penardi*, *D. camporum macroseratilis*, *D. scopulorum diversifolium* and *D. Nutallii leucophaeum*, species reduced to varieties.

Davis, K. C. Native and cultivated *Ranunculi* of North America and segregated Genera. Minn. Bot. Stud. **2**: 459–507. 15 Au. 1900.

Ranunculus fascicularis Deforesti and *R. McCallai*, new American species and vari-

eties. *R. Macounii Oreganus*, *R. subalpinus*, *R. canus hesperoxys*, *R. Californicus Ludovicianus*, *R. Bongardi Douglasii*, *R. pedatifidus pinetorum*, *R. Mexicanus*, *R. pygmaeus Sabinii*, *R. ambigens obtusiusculus*, *R. alismaefolius calthaeflorus*, *R. alismellus Populago* and *R. reptans Gormani*, new names and combinations.

Davis, W. F. Observations on a Woodland Fire. Plant World, **3**: 4–6. Ja. 1900.

Davenport, G. E. *Dicksonia pilosiuscula*, var. *cristata*. Rhodora, **2**: 220, 221. N. 1900.

Devaux, M. H. Recherches sur les lenticelles. Ann. Sc. Nat. Bot. VIII. **12**: 1–240. *pl. 1–6*. 1900.

DeCandolle, C. Piperaceae Uleanae e Brasilia. Engler's Bot. Jahrb. Beiblatt, **29**: 24–27. 4 S. 1900.
Three new species of *Piper* and *Peperomia* described.

Dobbin, F. Naturalized Compositae. Plant World, **3**: 134–136. S. 1900.

Dobbin, F. Native Orchids. Plant World, **3**: 88, 89. Je. 1900.

Dooris-Sharp, K. The Passing of the Wildwood. Plant World, **3**: 72–74. My. 1900.

Driggs, A. W. Notes on the Flora of Hartford, Litchfield and Tolland Counties [Connecticut], pp. 1–4. 1 S. 1900.

Durand, E. J. The Classification of the fleshy Pezizineae with reference to the structural Characters illustrating the Bases of their Division into Families. Bull. Torr. Club. **27**: 463–495. *pl. 27–32*. 29 S. 1900.

Eastwood, A. New Species of California Plants. Zoe, **5**: 80–90. N. 1900.
New species in *Salix*, *Chrysopsis*, *Helianthella*, *Sphacele*, *Mimulus*, *Aphyllon*, *Asclepias*, *Cleomella*, *Peucedanum* and *Navarretia*.

Eastwood, A. Rediscovery of *Thermopsis macrophyllum* H. & A. Zoe, **5**: 76–78. N. 1900.

Evans, A. W. Notes on the Hepaticae collected in Alaska. Proc. Wash. Acad. Sci. **2**: 287–314. *pl. 16–18*. 10 O. 1900.
List of 63 species collected by the Harriman expedition with descriptions of several circumboreal species new to America.

Evans, W. H. Notes on the edible Berries of Alaska. Plant World, **3**: 17–19. F. 1900.

Fanning, M. G. Some Algae in ornamental Waters. Plant World, **3**: 49–52. *pl. 1*. Ap. 1900.

Farwell, O. A. Flora of the Park System and throughout the City of Detroit. Ann. Rep. Commissioners of Parks and Boulevards (Detroit, Mich.) **11**: 41–94. 1900.
861 species and varieties enumerated.

Fernald, M. L. Some Jesuit Influences upon our northeastern Flora. Rhodora, **2**: 133–142. 10 Jl. 1900.

Fink, B. Additions to the Bibliography of North American Lichens. Rep. Iowa Acad. Sci. **6**: 165–173. 1899.

Fink, B. Notes concerning Iowa Lichens. Rep. Iowa Acad. Sci. **5**: 174–187. 1898. Also separate pp. 1–14.

Fischer, H. Der Pericykel in den freien Stengelorganen. Jahrb. wiss. Bot. **35**: 1–27. *pl. 1.* 1900.

Fisher, W. L. The Violets on Long Island. Plant World, **3**: 91, 92. Je. 1900.

Fitting, H. Bau und Entwickelungsgeschichte der Makrosporen von *Isoetes* und *Selaginella* und ihre Bedeutung für die Kenntniss des Wachstums pflanzlicher Zellmembranen. Bot. Zeitung, **58**[1]: 107–165. *pl. 5–6.* 16 Au. 1900.

Freeman, E. M. A preliminary List of Minnesota Erysipheae. Minn. Bot. Stud. **2**: 423–430. 15 Au. 1900.
19 species enumerated.

Fritsch, K. Beitrag zur Kenntniss der Gesneriaceen-Flora Brasiliens. Engler's Bot. Jahrb. Beiblatt, **29**: 5–23. 4 S. 1900.
New species in *Hypocyrta*, *Seemannia*, *Vanhouttea* and *Corytholoma*.

Gaucher, L. Du rôle des laticifères. Ann. Sc. Nat. Bot. VIII. 12: 241–260. *f.* 1–8. 1900.

Geheeb, A. Revision des Mousses récoltées en Brésil dans la province de San Paulo par M. Juan J. Puiggari pendant les années 1877–1882. Rev. Bryol. **27**: 65–71. 1900.

Gifford, J. Silvicultural Prospects of the Island of Cuba. Forester, 6: 179–183. Au. 1900. [Illust.]

Gottschall, M. Anatomisch sytematische Untersuchung des Blattes der Melastomaceen aus der Tribus Miconieae. Mem. Herb. Boissier, 19: 1–176. *pl. 1–3.* 25 S. 1900.
211 species studied, all American.

Gould, C. N. Radiate Structure of the wild Gourd (*Cucurbita foetidissima*). Plant World, **3**: 153, 154. O. 1900.

Graebner, P. Die Gattung Linnaea (einschliesslich Abelia). Engler's Bot. Jahrb. **29**: 120–145. 22 My. 1900.
Two species and one variety American.

Grieve, S. Additional Notes on *Andromeda polifolia*. Trans. Bot. Soc. Edinb. **21**: 258–269. 1900.

Grout, A. J. Illustrated Glossary [Musci]. Bryologist, **3**: 2, 3. Ja. 1900; 23, 24. Ap. 1900; 31–33. Jl. 1900; 45–48. O. 1900.

Grout, A. J. *Weissia*. Bryologist, **3**: 43, 44. O. 1900. [Illust.]

Halsted, B. D. Coloration of Leaf for Seed Distribution. Plant World, **3**: 22. F. 1900.

Halsted, B. D. Report of the Botanical Department of the New Jersey Agricultural College Experiment Station. Rep. N. J. Agric. Exp. Sta. **20**: 323–419. *f. 2–16.* 1900.

Harger, E. B. Stations for some of the less usual Plants of Connecticut. Rhodora, **2**: 125–127. 21 Je. 1900.

Harper, R. A. Cell and Nuclear division in *Fuligo varians*. Bot. Gaz. **30**: 217–251. *pl. 14.* 15 O. 1900.

Harper, R. M. Notes on the Flora of South Georgia. Bull. Torr. Club, **27**: 413–436. 6 S. 1900.

Harper, R. M. Notes on the distribution of some of the rarer plants of Central Massachusetts. Rhodora, **2**: 119–123. 21 Je. 1900.

Harshberger, J. W. Philadelphia Botanists commemorated in the Names of Plants. Plant World, **3**: 74–76. My. 1900.

Hastings, G. T. When Increase in Thickness begins in our Trees. Plant World, **3**: 113–116. Au. 1900.

Hefferan, M. A new chromogenic *Micrococcus*. Bot. Gaz. **30**: 261–272. *f. 1–4.* 15 O. 1900.

Hemsley, W. B. *Castilloa Funii* Hemsl. Hook. Icon. Plant IV. **7**: *pl. 2651.* Au. 1900.
A new species from Central America.

Hill, E. J. An Observation on the Water-shield (*Brasenia peltata*). Plant World, **3**: 153. O. 1900.

Hill, E. J. *Celtis pumila* Pursh, with Notes on allied Species. Bull. Torr. Club. **27**: 496–505. *pl. 33. f. 1–4.* 29 S. 1900.

Hill, E. J. *Primula Mistassinica*. Plant World, **3**: 104, 105. Jl. 1900.

Hill, E. J. The Southern Limit of *Juniperus Sabina*. Plant World, **3**: 140. S. 1900.

Hitchcock, A. S. Collecting Sets of Plants for Exchange. Plant World, **3**: 148–151. O. 1900.

Hudson, E. R. A new Species of *Neovossia*. Bot. Gaz. **30**: 273, 274. *f. 1.* 15 O. 1900.

Holm, T. Studies in the Cyperaceae; XIII. *Carex Willdenovii* and its allies. Am. Jour. Sci. IV. **10**: 33–47. *f. 1–3.* Jl. 1900.

Holm, T. Studies in the Cyperaceae; XIV. On a collection of *Carices* from Alaska, with remarks upon the affinities of *Carex circinata* C. A. Mey., and *C. lejocarpa* C. A. Mey. Am. Jour. Sci. IV. **10**: 266–284. *f. A–G.* O. 1900.

Carex cryptantha, *C. lugens* and *C. macrocephala bracteata*, new species and variety.

Holzinger, J. M. A *Polytrichum* new to North America. Asa Gray Bull. **8**: 95–99. *pl. 6.* O. 1900.

Holzinger, J. M. Suggestions for Glycerine Jelly Mounts. Bryologist, **3**: 42. O. 1900.

H[ooker], J. D. *Convolvulus macrostegius.* Curt. Bot. Mag. III. **56**: *pl. 7717.* 1 Je. 1900.

Native of Lower California.

H[ooker], J. D. *Mamillaria vivipara.* Curt. Bot. Mag. III. **56**: *pl. 7718.* 1 Je. 1900.

Native of the Rocky Mountains.

H[ooker], J. D. *Cypripedium guttatum.* Curt. Bot. Mag. III. **56**: *pl. 7746.* N. 1900.

Native of N. E. Europe, Asia, and N. W. America.

H[ooker], J. D. *Erigeron leiomerus.* Curt. Bot. Mag. III. **56**: *pl. 7743.* N. 1900.

Native of the Rocky Mountains.

H[ooker], J. D. *Dipladeni eximia.* Curt. Bot. Mag. III. **56**: *pl. 7720.* Je. 1900.

Native of Brazil.

H[ooker], J. D. *Helenium tenuifolium.* Curt. Bot. Mag. III. **56**: *pl. 7721.* Je. 1900.

Native of the eastern United States.

H[ooker], J. D. *Hesperaloe yuccaefolia.* Curt. Bot. Mag. III. **56**: *pl. 7723.* Jl. 1900.

Native of Texas.

H[ooker], J. D. *Dipladenia pastorum* var. *tenuifolia.* Curt. Bot. Mag. III. **56**: *pl. 7725.* Jl. 1900.

Native of Brazil.

H[ooker], J. D. *Robinia Neo-mexicana.* Curt. Bot. Mag. III. **56**: *pl. 7726.* Jl. 1900.

Native of the Rocky Mountains.

H[ooker], T. D. *Cattleya* × *Whitei.* Curt. Bot. Mag. III. **56**: *pl. 7727.* Au. 1900.
Native of Bahia.

H[ooker], J. D. *Hippeastrum Harrisoni.* Curt. Bot. Mag. III. **56**: *pl. 7737.* 1 O. 1900.
Native of Uruguay.

Hough, M. Z. Plant Names of the southwestern United States. Plant World, **3**: 137–139. S. 1900.

Hyatt, J., Peck, C. H., and Porter, T. C. Reminiscences of John Torrey. Bull. Torr. Club, **27**: 559–565. 26 O. 1900.

Hus, H. T. A. Preliminary Notes on West Coast Porphyras. Zoe, **5**: 61–70. N. 1900.
Key to the species; *P. occidentalis* Setchell & Huss, new.

Jones, L. R. *Daphne Mezereum* in Vermont. Rhodora, **2**: 142. 10 Jl. 1900.

Kearney, T. H., Jr. Concerning Saxifrages. Plant World, **3**: 37, 38. Mr. 1900.

Kearney, T. H., Jr. The Plant Covering of Ocracoke Island; a Study in the Ecology of the North Carolina strand Vegetation. Contr. U. S. Nat. Herb. **5**: 261–319. *f. 33–50.* 1 Au. 1900.

Kennedy, G. G. Edwin Faxon. (With portrait.) Rhodora, **2**: 107–111. 21 Je. 1900.

Kiærskou, H. Om danske Samlere of vestindiske Planter. Bot. Tidsskrift, **23**: 35–47. 1900.

Klebs, G. Zur Physiologie der Fortpflanzung einiger Pilze.—III. Jahrb. wiss. Bot. **35**: 80–203. 1900.

Knowlton, C. H. On the Flora of Chesterville, Maine. Rhodora, **2**: 123, 124. 21 Je. 1900.

Knowlton, F. H. Notes for the Beginner in the Study of Mosses. Plant World, **3**: 145–148. *pl. 5.* O. 1900.

Koehne, E. Lythraceae novae. Engler's Bot. Jahrb. **29**: 154–160. 22 My.; 161–168. 4 S. 1900.
Several new species and varieties of *Cuphea* described, all from Mexico and South America.

Kraemer, H. Note on the Origin of Tannin in Galls. Bot. Gaz. **30**: 274, 275. 15 O. 1900.

Kuntze, O. & Post, T. von. Nomenklatorische Revision höherer Pflanzengruppen und über einige Tausend Korrecturen zu Englers Phaenogamen Register. Allg. Bot. Zeitsch. **6**: 110–120. 15 Je. 1900; 148–164. 15 Jl. 1900; 179–191. S. 1900.

Land, W. J. G. Double Fertilization in Compositae. Bot. Gaz. **30**: 252–260. *pl. 15–16.* 15 O. 1900.

Leavitt, R. G. Revisions in *Berberis* and *Sagittaria.* Rhodora, 2: 149–155. *pl. 19.* Jl. 1900.

Lehmann, F. C., & Kränzlin, F. *Mormodes Oberlanderianum.* Gard. Chron. III. **28**: 317, 318. *f. 96.* 3 N. 1900.
A new orchid from South America.

Lindau, G. Acanthaceae. Symbolae Antillanae **2**: 170–250. 20 O. 1900.
Ancitranthus and *Centrilla* gen. nov. Synopsis of West Indian species.

Livingston, B. E. On the Nature of the Stimulus which causes the Change of Form in polymorphic green Algae. Bot. Gaz. **30**: 289–317. *pl. 17, 18.* 15 N. 1900.

Lloyd, F. E. The Douglas Spruce, *Pseudotsuga taxifolia.* Plant World, **3**: 65–68. *pl. 2.* My. 1900; 85–87. Je. 1900.

Loesener, T. Beiträge zur Kenntniss der Flora von Central Amerika (entschliesslich Mexico).—II. Engler's Bot. Jahrb. **29**: 86–106. 22 My. 1900.
New species in *Piper*, *Peperomia*, *Quercus*, *Microtropis*, *Gyminda*, *Cereus*, and *Hyptis*, described by C. De Candolle, O. von Seemen, K. Schumann and the author.

MacDougal, D. T. The New York Botanical Garden. Pop. Sci. Mo. **57**: 171–178. Je. 1900. [Illust.]

MacMillan, C. Observations on *Lessonia.* Bot. Gaz. **30**: 318–334. *pl. 19–21.* 15 N. 1900.

Masters, M. T. *Passiflora europhylla.* Gard. Chron. III. **28**: 350. 17 N. 1900.
A new species from British Guiana.

Maxon, W. R. Notes on American Ferns.—II. Fern. Bull. **8**: 58, 59. Jl. 1900.

Maxon, W. R. The Hart's-tongue in New York and Tennessee. Plant World, **3**: 129–132. S. 1900. [Illust.]

Macomb, A. The Development of the karyokinetic Spindle in vegetative Cells of higher Plants. Bull. Torr. Club, **27**: 451–459. *pl. 24, 25.* 6 S. 1900.

McDonald, H. E. A Sand Dune Flora of Central Illinois. Plant World, **3**: 101–103. Jl. 1900.

Mez, C. Lauraceae et Bromeliaceae novae. Symbolae Antillanae, **2**: 251–256. 20 O. 1900.
New species in *Ocotea*, *Bromelia*, *Hohenbergia*, and *Tillandsia.*

Nathansohn, A. Physiologische Untersuchungen ueber amitotische Kerntheilung. Jahrb. wiss. Bot. **35**: 48–79. *pl. 2, 3.* 1900.

Nelson, A. Popular Ignorance concerning Botany and Botanists. Plant World, **3**: 33–36. Mr. 1900.

Nelson, A. The Cyptogams of Wyoming. Ann. Rep. Wyo. Exp. Sta. **10**: —— (3–38). 1900.

Nordhausen, M. Ueber basale Zweigverwachsungen bei *Cladophora* und über die Verzweigungswinkel einiger monosiphoner Algen. Jahrb. wiss. Bot. **35**: 366–406. *pl. 11.* 1900.

Osterhout, G. E. New Plants for Colorado. Bull. Torr. Club, **27**: 506–508. 29 S. 1900.

Allium rubrum, *Allium arenicola*, *Artemisia Coloradensis*, *Artemisia spiciformis*, *Artemisia cana viscidula* and *Agoseris montana* new species and variety.

Osterhout, G. E. A Correction. Bull. Torr. Club, **27**: 539. 26 O. 1900.

Allium sabulicola substituted for *A. arenicola*.

Pammel, L. H. The Twin-leaf (*Jeffersonia diphylla*) in Iowa. Plant World, **3**: 41. Mr. 1900.

Parish, S. B. Contributions to Southern California Botany.—I. Zoe, **5**: 71–76. N. 1900.

New species in *Gilia*, *Eupatorium* and *Bidens*.

Pollard, C. L. A new Southern Violet. Proc. Biol. Soc. Washington, **13**: 169. 31 O. 1900.

V. Alabamensis.

Pollard, C. L. A Visit to the Home of *Neviusia.* Plant World. **3**: 136, 137. S. 1900.

Porter, T. C. A new Variety of *Azalea nudiflora* L. Bull. Torr. Club, **27**: 508. 29 S. 1900.

Azalea nudiflora glandifera var. nov.

Porter, T. C. The Twin-flower (*Linnaea borealis*) in Pennsylvania. Plant World, **3**: 133, 134. S. 1900.

Preston, C. E. Non-sexual Propagation in *Opuntia.* Bot. Gaz. **30**: 351. 15 N. 1900.

Preston, C. E. Observations on the Root System of certain Cactaceae. Bot. Gaz. **30**: 348–351. 15 N. 1900.

Price, S. F. Abnormal Leaves and Flowers. Plant World, **3**: 53. *f. 1.* Ap. 1900.

Ramaley, F. The Seed and Seedling of the Western Larkspur (*Delphinium occidentale* Wats.). Minn. Bot. Stud. **2**: 417–421. *pl. 28.* 15 Au. 1900.

Reiche, K. Beiträge zur Systematik der Calyceraceen. Engler's Bot. Jahrb. **29**: 107–119. *pl. 1.* 22 My. 1900.

Robertson, R. A. Variations in *Lycopodium clavatum* Linn. Trans. Bot. Soc. Edinb. **21**: 290–298. *pl. 1–3.* 1900.

Rodrigue, A. Les feuilles panachées et les feuilles colorées. (Rapports entre leurs couleurs et leur structure.) Mém. Herb. Boissier, **17**: 11–75. 30 Je. 1900.

Several American species among those studied.

Rossler, W. Beiträge zur Kleistogamie. Flora, **87**: 479–499. *pl. 16, 17.* 5 O. 1900.

An investigation of *Juncus bufonius* L., and *Oxalis Acetosella* L.

Rothert, W. Die Krystallzellen der Pontederiaceen. Bot. Zeitung. **58**[1]: 75–106. *pl. 4.* 1 Je. 1900.

Rusby, H. H. The botanical Origin of Coca Leaves. Druggist's Circ. and Chem. Gaz.: 220–223. *f. 1–16.* N. 1900.

Rydberg, P. A. Studies on the Rocky Mountain Flora, II. The Rocky Mountain Species of Melanthaceae. Bull. Torr. Club, **27**: 528–538. 26 O. 1900.

Stenanthella gen. nov., *Stenanthella occidentalis* (Gray) Rydb. nom. nov., *Tofieldia intermedia, Veratrum speciosum, Zygadenus Coloradensis, Z. gramineus, Z. intermedius, Z. acutus,* and *Z. falcatus,* new species.

Salmon, E. S. Bryological Notes. Rev. Bryol. **27**: 59–61, 80–83. 1900.

Includes note on *Erpodium Domingense* (Spreng.) Brid.

Salmon, E. S. The Erysiphaceae of Japan. Bull. Torr. Club, **27**: 437–450. *pl. 26.* 6 S. 1900.

Sargent, H. E. A new *Vicia* for New England. Rhodora, **2**: 225. N. 1900.

Saunders, C. F. Does the catch-fly Grass catch Flies? Plant World, **3**: 104. Jl. 1900.

Saunders, C. F. Etymology of Columbine. Plant World, **3**: 107, 108. Jl. 1900.

Saunders, C. F. New Jersey Pine Barrens in July. Plant World, **3**: 1–4. Ja. 1900. [Illust.]

Saunders, C. F. Quaker Bridge, New Jersey. Plant World, **3**: 124. Au. 1900. [Illust.]

Saunders, C. F. Root System of the snake-mouth Pogonia. Plant World, **3**: 123, 124. Au. 1900. [Illust.]

Saunders, C. F. Some local common Names of Plants. Plant World, **3**: 132, 133. S. 1900.

Saunders, C. F. The small Mistletoe in Pennsylvania. Plant World, **3**: 60. Ap. 1900.

Schrenk, H. von. Two Diseases of Red Cedar, caused by *Polyporus juniperinus* n. sp. and *Polyporus carneus* Nees. Bull. U. S. Dept. Agric. (Div. Veg. Phys. & Path.) 21: 1–22. *pl. 1–7.* 1900.

Schuh, R. E. *Rhadinocladia*, a new Genus of brown Algae. Rhodora, **2**: 111, 112, *pl. 18.* 21 Je. 1900.

Rhadinocladia Farlowii n. sp.

Schumann, K. Musaceae. Das Pflanzenreich, **4**[45]: 1–45. *f. 1–10.* 1900.

Includes descriptions of all American species.

Schütt, F. Centrifugale und simultane Membranverdickungen. Jahrb. wiss. Bot. **35**: 470–534. *pl. 12.* 1900.

Schütt, F. Die Erklarung des centrifugalen Dickenwachstums der Membran. Bot. Zeitung, **58**[2]: 246–273. *pl.* 16 Au. 1900.

Scofield, C. S. Some preliminary Observations on *Dictyophora Ravenelii* Burt. Minn. Bot. Stud. **2**: 525–536. *pl. 29–31.* 15 Au. 1900.

Seemen, O. von. Zwei neue Salices aus der Sammlung: "Plants of Southern Colorado collected and distributed by C. F. Baker, F. S. Earle and S. M. Tracy." Engler's Bot. Jahrb. Beiblatt, **29**: 28, 29. 4 S. 1900.

Salix pseudolapponum and *S. aemulans.*

Setchell, W. A. Critical Notes on the New England Species of *Laminaria.* Rhodora, **2**: 115–119, 142–149. 21 Je., 10 Jl., 1900.

Sodiro, A. Plantae ecuadorenses.—II. Compositae (by G. Hieronymus). Engler's Bot. Jahrb. **29**: 1–85. 22 My. 1900.

New species in *Vernonia, Piptocarpha, Picqueria, Ophryosporus, Stevia, Eupatorium, Mikania, Aster, Euglion, Baccharis, Gnaphalium, Clibadium, Polymnia, Wulfia, Zaluzania, Aspilia, Helianthus, Vigniera, Spilanthes, Verbesina, Narvalina, Calea, Tridax, Jaumea, Artemisa, Liabum, Culcitium, Gynoxys, Senecio, Lycoseris, Barnadesia, Mutisia, Jungia* and *Crepis.*

Solms-Laubach, H. Graf zu. Cruciferenstudien. Bot. Zeitung, **58**[1]: 167–190. *pl. 7.* 1 O. 1900.

Spegazzini, C. Fungi Argenti novi v. critici. Anales del Mus. Nac. Buenos Aires, **6**: 81–365. *pl. 4, 5.* 1899.

New species in *Lepiota,* (19), *Armillaria* (4), *Tricholoma* (3), *Clitocybe, Mycena* (6), *Omphalia* (2), *Pleurotus, Marasmius* (7), *Lentinus, Lenzites, Volvaria, Annularia, Pluteus, Volvariella* gen. nov., *Entoloma, Eccilia, Claudopus, Pluteolus, Pholiota* (3), *Inocybe* (5), *Hebeloma* (2), *Flammula* (3), *Naucoria* (6), *Galera* (3), *Tubaria* (3), *Paxillus, Bolbitius* (2), *Agaricus* (7), *Stropharia* (2), *Hypholoma,*

Psilocybe, *Deconica*, *Psathyrella* (3), *Coprinus* (8), *Montagnites*, *Polyporus* (3), *Fomes*, *Polystictus* (4), *Poria* (5), *Trametes* (4), *Daedalea* (2), *Favolus* (2), *Hydnum*, *Irpex*, *Cladoderris*, *Stereum*, *Corticium*, *Hypochnus*, *Cyphella* (2), *Albofiella* gen. nov., *Cyathus*, *Gyrophragmium*, *Podaxon*, *Chlamydopus* gen. nov. (2), *Batarrea* (2), *Geaster* (4), *Lycoperdon* (2), and many others.

Stephani, F. Beiträge zur Lebermoos-Flora Westpatagoniens und des Südlichen Chile. Bihang till k. Svenska. Vet. Akad. Handl. **26**[6]: 1–69. 1900.

New species in *Metzgeria*, *Pallavicinius*, *Jamesoniella*, *Jungermannia*, *Lophozia*, *Tylimanthus*, *Plagiochila* (9), *Clasmatocolea*, *Lophocolea* (16), *Chiloscyphus* (2), *Saccogyna*, *Alobiella*, *Cephaloziella* (2), *Lepidozia* (3), *Isotachis*, *Mastigophora*, *Trichocolea*, *Schistochila* (2), *Radula* (2), *Cololejeunea* (2), *Colejeunea* (2), *Frullania* and *Anthoceros*.

Strasburger, E. Einige Bemerkungen zur Frage nach der "doppelten Befruchtung" bei den Angiospermen. Bot. Zeitung, **58**[2]: 293–316. 1 O. 1900.

Sutor, J. H. Railroad Forestry. Railway Age, **30**: 73, 74. 27 Jl. 1900.

A discussion of tree-planting for American railroads.

Ternetz, C. Protoplasmabewegung und Fruchtkörperbildung bei *Ascophanus carneus* Pers. Jahrb. wiss. Bot. **35**: 273–312. *pl. 12.* 1900.

Trelease, W. The Preservation and Protection of native Vegetation. Plant World, **3**: 108. Jl. 1900.

Urban, I. Leguminosae novae vel minus cognitae.—I. Symbolae Antillanae, **2**: 257. 20 O. 1900.

New species in *Pithecolobium*, *Calliandra*, *Leucaena*, *Schrankia*, *Caesalpinia*, *Peltophorum*, *Hebestigma* (gen. nov.), *Poitaea*, *Desmodium*, *Rhodophis* (gen. nov.) and *Galactia*.

Urban, I. Mantissa ad Cyperáceas Clarkeanas. Symbolae Antillanae, **2**: 163–169. 20 O. 1900.

Urban, I. Über einige südamerikanische Umbellifer-Gattungen. Engler's Bot. Jahrb. Beiblatt, **29**: 1, 2. 4 S. 1900.

Urban, I. Über mexicanische Turneraceen. Engler's Bot. Jahrb. Beiblatt, **29**: 3, 4. 4 S. 1900.

Van Wisselingh, C. Ueber Kerntheilung bei *Spirogyra*. Flora, **87**: 355–377. *pl. 15.* 5 O. 1900.

Wainio, E. A. Reactiones Lichenum a J. Müllero Argoviensi descriptorum. Mém. Herb. Boissier, **5**: 1–17. 31 Ja. 1900.

Ward, L. F. Elaboration of the Fossil Cycads in the Yale Museum. Am. Jour. Sci. IV. **10**: 327–345. *pl. 1–4.* N. 1900.

Seven new species of *Cycadeoidea* from the Black Hills and Wyoming described and figured.

Webber, H. J. Xenia, or the immediate Effect of Pollen, in Maize. Bull. U. S. Dept. Agric. (Div. Veg. Phys. and Path.) 22: 1–44. *pl. 1–4.* 12 S. 1900.

Webster, H. *Naucoria Christinae.* Rhodora, **2**: 127–130. 21 Je. 1900.

Wetzstein, A. Range Extension of *Iris hexagona.* Plant World, **3**: 92. Je. 1900.

Wetzstein, A. The velvet Dogbane in Ohio. Plant World, **3**: 40, 41. Mr. 1900.

Wheeler, W. A. A Contribution to the Knowledge of the Flora of Southeastern Minnesota. Minn. Bot. Stud. **2**: 353–416. *pl. 21–27.* 15 Au. 1900.

The plates contain 14 photogravures of Minnesota vegetation.

Wiegand, K. M. *Juncus tenuis* Willd. and some of its North American Allies. Bull. Torr. Club, **27**: 511–527. 26 O. 1900.

J. interior, *J. Arizonicus*, *J. Arizonicus curtiflorus*, *J. brachyphyllus*, *J. tenuis anthelatus*, and *J. Dudleyi*, new species and varieties. *J. occidentalis* nom. nov.

Williams, R. S. Another Note on *Buxbaumia.* Bull. Torr. Club, **27**: 539. 26 O. 1900.

Winkler, H. Ueber Polarität, Regeneration, und Heteromorphose bei *Bryopsis.* Jahrb. wiss. Bot. **35**: 449–469. *f. 1–3.* 1900.